

Model B-BS-2-96



Hydraulic or electric motors rotate the nylon brushes in a downward motion, gently scrubbing and removing fecal matter and cuticle as the overhead conveyor carries the bird through the **Bird/Wing Scrubber B-BS-2-96**. In both sides of the scrubber, a water rail with spray jets rinses away fecal matter and debris while keeping the brushes clean. Two sets of horizontally and vertically adjustable guide bars keep any size bird stable as it is cleaned.

Berry Bird/Wing Scrubber - Model B-BS-2-96

Construction:

The **Berry Bird/Wing Scrubber 2 - 96** is designed for maximum safety and ease of operation. The machine is constructed entirely of stainless steel for durability and easy cleanup.

Operation:

The **Berry Bird/Wing Scrubber 2 - 96** is hydraulically or electrically driven and built of Stainless Steel. The machine is capable of processing up to 300 BPM.

Maintenance:

With proper operation, the only other maintenance the **Berry Bird/Wing Scrubber 2 - 96** requires is daily cleaning and checking of various parts such as the bearings, gears and rollers for wear and fractures.

WATER	1/2" NPT CONNECTION (18) SPRAY NOZZLES PER SIDE RANGE @ 5 PSI, 2 GPM UP TO 80 PSI, 22 GPM 5 PPM CHLORINE, APPROX 30 GPM FROM BERRY WATER REUSE SCREEN
POWER	(2) HYDRAULIC MOTORS, APPROX 963 RPM OR (2) 3 HP ELECTRIC MOTORS
CAPACITY	UP TO 300 BPM
HEIGHT	APPROXIMATELY 64" DETERMINED BY SHACKLE SETUP AND BIRD SIZE
WIDTH	APPROX 62"
LENGTH	CABINET: APPROX 85", OVERALL: APPROX 134"

The specifications as stated herein are the most current at the time of publication. However, consistent with our standard of continual product development, we reserve the right to change the design without notice or obligation to modify any equipment previously sold or delivered.

12/31/2000

Berry Plumbing & Equipment

6736 Cleveland Highway, Clermont Georgia 30527

Email: tberry@berryequipment.net

Phone: 770-983-3929 Toll Free Fax: 1-866-808-9957

Berry Bird/Wing Scrubber - Model B-BS-2-96



The specifications as stated herein are the most current at the time of publication. However, consistent with our standard of continual product development, we reserve the right to change the design without notice or obligation to modify any equipment previously sold or delivered. 12/31/2000

Berry Plumbing & Equipment
6736 Cleveland Highway, Clermont Georgia 30527
Email: tberry@berryequipment.net
Phone: 770-983-3929 Toll Free Fax: 1-866-808-9957